


Amphetamine Dosage And Side Effects



Dosage

Usual Adult Dose for Narcolepsy



5-15 mg twice a day

Usual Adult Dose for Obesity



5 to 10 mg per day

Usual Adult Dose for Attention Deficit Disorder



5 to 40 mg taken orally per day

Usual Adult Dose for Recreation and Personal purposes

	Oral	Insufflated	Intravenous
Light	5 - 15 mg	5 - 10 mg	5 - 7 mg
Medium	15 - 30 mg	10 - 25 mg	7 - 15 mg
Potent	30 - 60 mg	25 - 40 mg	15 - 30 mg
Severe	60 mg & more	40 mg & more	40 mg & more

Amphetamine Side Effects

Mental effects

Agitation, anxiety, nervousness, abnormal thought patterns, confusion, panic attacks, paranoia, and psychosis, especially at high doses or with long-term use. Increased aggressiveness and risk-taking behavior may also be observed.



Cardiovascular effects

Increase blood pressure, heart rate, irregular heartbeat, and the risk of heart attack and stroke. Skin color change from pale to blue to red on the fingers or toes sometimes manifests. Long-term use of amphetamines can also cause damage to the heart and blood vessels.



Gastrointestinal effects

Stomach pain, nausea, vomiting, diarrhea, or constipation. Abdominal pain also. Amphetamine can decrease appetite and cause weight loss, which can be beneficial for some medical conditions but can also be a problem for people who need to gain weight. It is dangerous for a healthy person, without hormonal or other pathologies, to use amphetamine for weight loss.



System effects

Increased body temperature/sweating. Dry mouth. Swelling of the face, throat, tongue, lips, or eyes. Weakness or numbness of an arm or leg. Insomnia and other sleep problems.



Neurological effects

Blurred vision, Impaired speech, Motor or verbal tics, Headache, Dizziness, Twitching, Difficulty breathing or swallowing, and Convulsions.



Skin problems

Skin rash, hives, and itching, which can be a sign of an allergic reaction.



Other side effects

Problems with potency and sexual side effects. They may be temporary, or they may become chronic. Grinding or clenching teeth. Painful menstruation. Pain or burning when urinating.

